



# APC 4



HANGERS





# SYMBOLS AND FINISHES LEGEND

## SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

## MATERIALS

<b>ZA</b> = Zinc Alloy	<b>ST</b> = Steel	<b>HSS</b> = High Speed Steel	<b>BR</b> = Brass	<b>ABS</b> = Acrylonitrile Butadiene Styrene
<b>ZAnk</b> = Nickel-plated Zinc Alloy	<b>STzk</b> = Zinc-plated Steel	<b>AL</b> = Aluminium	<b>WD</b> = Wood	<b>EVA</b> = Ethylene Vinyl Acetate

**EP** = **ENGINEERING PLASTIC**

+ **EP** = other engineering plastic available on request

**SR** = **SOFT RUBBER** + **SR** = other soft rubber available on request

<b>EPn</b> = Natural Engineering Plastic	<b>EPc</b> = Clear Engineering Plastic	<b>SRn</b> = Natural Soft Rubber
<b>EPw</b> = White Engineering Plastic	<b>EPg</b> = Grey Engineering Plastic	<b>SRw</b> = White Soft Rubber
<b>EPwg</b> = Water Green Engineering Plastic	<b>EPa</b> = Anthracite Engineering Plastic	<b>SRb</b> = Black Soft Rubber



## FINISHES



= OTHER FINISHES AVAILABLE ON REQUEST

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Middle Grey	RO	Red
AA	Natural	IJ	Light Grey	UT	T-Met 9007
AB	White	IL	Grey 20	UZ	T-Met
AE	White 9010	IN	Grey met. 26	WA	Bronzed
EA	Black	JB	Bright Aluminium	WI	Burnished
EC	Matt Black	JC	Aluminium - Chrome	XD	Satin-finished Steel
EE	Anthracite	JD	Matt Aluminium	YA	Nickel-plated
EW	Grey 9007	JE	Satin-finished Aluminium	YB	Bright Nickel-plated
FU	Gunmetal	JF	Aluminium - Brass	YC	Matt Nickel-plated
FV	Gunmetal V52	JG	Aluminium 5	YD	Satin-finished Nickel-plated
GR	Raw	JL	Aluminium PE 11	YQ	Black Nickel
HA	Brass-Plated	JM	Aluminium RAL 9006	Z9	Black Zinc
HH	Tropicalized	KA	Chrome	ZA	Zinc alloy
HL	Raw Brass	KB	Bright Chrome	ZN	Zinc-plated
HX	Graphite	KC	Matt Chrome	ZQ	Bright Gold
IA	Grey	LD	Brown 8019	ZY	Titanium
IB	Metallic Grey	NN	Metallic Beige	ZZ	Clear

## APC 1, APC 3, APC 4, APC 6 LIVING SETTINGS



APC 1



APC 4




APC 3



APC 6



APC 4



UNI EN 15939:2019 - 90 Kg per piece




Certificates available on request.




INSTALLATION




recommended fixing countersunk head wood screws  $\varnothing$  3,5x20 mm



INSTALLATION ON THE WALL



COVER CAP INSERTING



It is the responsibility of the customer:

- to ensure that the wall is of a suitable quality to hold the unit fixing in place.
- to use the proper hardware fittings according to the construction of the wall.


ADJUSTMENTS



Slots for cross PZ2 screwdriver


Slot for in-depth adjustment

Slot for vertical adjustment



DRILLING PLAN FOR APC 4 FIXED UNDER THE CABINET TOP




SIDE PANEL AND SERVICE GAP



BACK PANEL

APC cover cap Ø20

APC cover cap double hole Ø12




 = PZ2  
   = 100 pcs.

---

 123   
**65210200ZN**   
**65210210ZN** 




**APC 4 FIXING ACCESSORY**



		 = PZ2		
ST				= 5000 pcs.
				
<b>60101410ZN</b>				

**WPC1 WALL BAR**  *Certificates available on request.*




ST  = 20 pcs.

  **65240010ZN**



**WPC2 WALL PLATE**  *Certificates available on request.*




ST  = 100 pcs.

  **65230010ZN**



**WPC110 WALL PLATE**  *Certificates available on request.*



ST  = 100 pcs.

  **65230100ZN**






**WPC3 WALL BAR**



Certificates available on request.



ST = 20 pcs.


6525 XXXX ZN

**6525 XXXX ZN**

L = Length of the bar in mm



**APC COVER CAP Ø20**




= Ø 20 mm +

EP = 5000 pcs.

65270100AB  
65270100EE  
65270100IJ


**APC COVER CAP DOUBLE HOLE Ø12**



= Ø 12 mm +

EP = 5000 pcs.

65270200AB  
65270200EE  
65270200IJ



[www.italianaferramenta.it](http://www.italianaferramenta.it)